

VII. CLAIMS

1. A method of preserving tissue culture cells on glass slides by fixing with glutaraldehyde or methanol, followed by using a preservative agent containing a buffer, a sugar and a carbohydrate polymer, followed by using a rapid freeze step, followed by lyophilization and storage under cool and desiccated conditions.
2. A method as described in Claim 1 that results in retention of nanometer scale molecular structure detail.
3. A method as described in Claim 1 that results in a product that has a shelf life greater than four years at 4°C.
4. A method as described in Claim 1 that produces a preparation of cells on a glass slide.
5. A method as described in Claim 1 which is suitable for Swiss 3T3 cells.
6. A method as described in Claim 1 which is suitable for HT1080 cells.
7. A method as described in Claim 1 which is suitable for HeLa cells.
8. A method as described in Claim 1 which is suitable for MCF-7 cells.
9. A method as described in Claim 1 which is suitable for other cell lines.
10. A method as described in Claim 1 which is suitable for mitotic cell preparations.
11. A method as described in Claim 1 which is suitable for apoptotic cell preparations.
12. A method as described in Claim 1 which is suitable for growth factor treated cells.
13. A method as described in Claim 1 which is suitable for lysophosphatidic acid treated cells.
14. A method as described in Claim 1 which is suitable for platelet derived growth factor treated cells.
15. A method as described in Claim 1 which is suitable for tumor necrosis factor alpha treated cells.
16. A method as described in Claim 1 which is suitable for serum starved cells.
17. A method as described in Claim 1 which is suitable for probing of focal adhesion plaques.
18. A method using rhodamine fibronectin as a rapid stain for focal adhesion plaques.

References:

Cited USPTO patents:

Number	Date	Inventor
4559298	12-1985	Fahy
5059518	10-1991	Kortright et al.
5648222	07-1997	Tse et al.
5849517	07-1996	Ryan
5879875	03-1999	Wiggins et al.
6004762	12-1999	Tse et al.

Cited articles:

1. Celis, 1994. Cell Biology: A Laboratory Handbook. Editor J. Celis. 1994. Volume 2, Part 8, p355-360. Academic Press Inc. NY.
2. Ridley and Hall 1992. The small GTP-binding protein rho regulates the assembly of focal adhesions and actin stress fibers in response to growth factors. A.J. Ridley and A. Hall. 1992. Cell, 70 (3) p389-399.
3. Nobes and Hall. 1995. Rho, rac and cdc42 GTPases regulate the assembly of multimolecular focal complexes associated with actin stress fibers, lamellipodia, and filopodia. C.D. Nobes and A. Hall. 1995. Cell, 81 (1) p53-62.
4. Harlow and Lane 1988. Antibodies. A laboratory manual. Editors E. Harlow and D. Lane. 1988. Cold Spring Harbor Publications.
5. Carraway and Carraway 1992. The Cytoskeleton. The Practical Approach Series. Editors K.L. Carraway and C.A.C. Carraway. 1992. IRL Press at Oxford University Press, NY. p.2-3 fixation and phalloidin staining.
6. Kreis and Vale 1993. Guidebook to the Cytoskeletal and Motor Proteins. Editors T. Kreis and R. Vale. 1993. Oxford University Press, NY. p.127 microtubules depolymerize at 4°C.
7. Avila 1990. Microtubule Proteins. Editor J. Avila. 1990. CRC Press, FL.

8. Karp 1979 p697. Cell Biology. p697 for mitosis. Editor G. Karp. 1979. Mcraw-Hill Kogakusha Ltd. (McGraw-Hill Inc.)

9. Karp 1979 p125-128. Cell Biology. p125-128 and 153 for Q_{10} rule. Editor G. Karp. 1979. Mcraw-Hill Kogakusha Ltd. (McGraw-Hill Inc.)